



คลินิกการให้บริการกัญชาทางการแพทย์ (Medical Cannabis Clinic)

แผนพัฒนาระบบบริการสุขภาพ (Service Plan)

สาขาการให้บริการกัญชาทางการแพทย์



Medical practitioners have explained and provided the following information to patients or caregivers (parents or legal representatives of pediatric patients aged not over 18 years of age or persons with physical or mental disabilities. Which cannot be decided by oneself) and expressed consent to the use of narcotics of category 5 (medical marijuana) in the treatment of diseases or conditions of patients by signing as a joint evidence in this document.

Note: Medical practitioners cannot assign others to be responsible for proceeding with informed consent for use of drugs in category 5 (medical marijuana) in the treatment of diseases or Patient's condition

1. Approval and product certification status by the Food and Drug Administration

This marijuana product has not been certified for quality, effectiveness, and safety by the Food and Drug Administration for sale on the market. Therefore, this marijuana product may have different levels of important active ingredients for different production models. However, the product sold has test results from analytical laboratories showing that the product is not contaminated. The heating of heavy metals, pesticides or other contaminants are not exceeding standards to cause harm to consumer health.

2. The use of narcotics of category 5, specifically marijuana, may cause addiction.

- There is clear information and educational reports that confirm the use of medical marijuana can lead to tolerance, which means getting used to the drug for repeated use, resulting in increased dosages or higher dosages to achieve the desired effectiveness. In addition, may cause drug or drug dependence, both physically and mentally.

- If I have feelings or thoughts about wanting to increase the dosage or the need for higher amounts and frequency of marijuana, I will inform the treating physician to assess, adjust the size of use or plan the next treatment.

3. Warnings, precautions and side effects that may occur from the use of narcotics of category 5, only marijuana. *Warnings and precautions for using drugs to be punished in category 5, specifically marijuana are as follows:*

- (1) Do not use for people who have previously been allergic to marijuana and other compounds in marijuana products.
- (2) Avoid the use of marijuana in pregnant women. Lactating women, including women of reproductive age who do not have contraceptives or women who are planning to become pregnant.
- (3) Cannabis should not be used with a predominant amount of active ingredient THC (delta-9-tetrahydrocannabinol) in persons under the age of 25, except in cases where the doctor considers that the patient benefits more than the risk.

- (4) Cannabis should not be used in patients with severe coronary artery disease or cerebrovascular disease. Cannabis may cause low blood pressure, sometimes it can cause high blood pressure, syncope, or unconsciousness, myocardial infarction, and/or stroke.
- (5) Cannabis should not be used in patients with severely impaired liver or kidney function.
- (6) Cannabis should not be used with a significant amount of active ingredient THC (delta-9-tetrahydrocannabinol), especially marijuana that has a high concentration of THC, for patients with a history of psychiatric disorders (such as psychosis, schizophrenia, anxiety and mood disorders) or having a family history of schizophrenia.
- (7) Cannabis should not be used continuously for a long time as drug addiction may occur. Unless the doctor ordered regular usage, treatment should be evaluated periodically via consultation with a certified doctor before stopping medication because it is necessary to reduce the dosage gradually to prevent withdrawal symptoms.
- (8) If you are treated with tranquilizers or other psychotropic drugs, patients must notify a doctor and if used in combination with marijuana, must be used with caution due to the central sedative effect or increased psychoactive effects.
- (9) Cannabis should be used with caution in patients with a history of substance abuse, including those with a history of alcohol dependence.
- (10) If there is an allergic reaction to the drug, such as a rash, swollen mouth, swollen eyes, swollen face, stop using the drug and consult a doctor or pharmacist.
- (11) Cannabis may cause drowsiness; therefore patients should not drive a vehicle, work with machinery, or work in dangerous environments.

- Possible side effects of marijuana use include drowsiness, dizziness, anxiety, confusion, dry mouth, nausea, short-term memory deficiency, euphoria, blurred vision, low blood pressure, no concentration, impaired movement skills, psychosis, paranoia, mental symptoms, lack of enthusiasm, depression and / or restlessness. There is also data supporting that medical marijuana use, especially those under the age of 25 can have long-term problems with concentration, memory, learning, drug abuse and psychiatric disorders.

- I will inform the treating physician if any of the above side effects occur.
- I will inform the treating physician if I experience depression, psychiatric symptoms, thoughts of suicide, crying without reason, abnormal sleeping habits, extreme fatigue, increased irritability, anger, or begin to separate from family and / or friends.

4. Risks, benefits and interaction between drugs of cannabis

- There is information that many drugs have risks, benefits, and interactions with cannabis. Many medications, when combined, can cause serious adverse reactions and may be fatal.

As in the following examples:

- When used together, these drugs can increase the effect or toxicity of such drugs. For example, opioid painkillers such as morphine, codeine, oxycodone, central sedative drugs such as benzodiazepines, macrolides disinfectants, calcium channel blockers, cyclosporine, sildenafil, antihistamines, haloperidol, SSRIs such as fluoxetine, escitalopram, sertraline, statins such as atorvastatin, other simvastatin such as warfarin etc.
- Marijuana when used together with these drugs will increase the level of marijuana in the body and the effect of marijuana. For example, antiviral drugs such as ritonavir lopinavir, bactericidal drugs such as erythromycin, clarithromycin, fungicides such as ketoconazole, fluconazole, itraconazole, others such as diltiazem, verapamil.

- I acknowledge that marijuana causes physical and mental addiction. If I have depression, sadness, irritability, insomnia, restlessness, confusion, impatience, don't want food, have concentration problems, sleep disorders, and abnormal fatigue, which is a condition that may be caused by drug withdrawal, I will inform the treating physician.
- I acknowledge that excessive marijuana exposure will have the following symptoms: dizziness, hallucinations, thoughts disorders, which the patient believes in is not true, paranoia, fast/slow abnormally low blood pressure. If I have any of these symptoms, I will notify the doctor immediately or go to the nearest emergency room.

5. Information about the disease and the condition of the patient and treatment options

- I was informed about the disease and its progress, including the upcoming results and various treatment options, chance of recovery, and long-term prognosis.
- I am aware of the possible benefits of drug treatment in Category 5, specifically marijuana, the risks, side effects that may arise from the use of the said product. I know whether there is a chance of success or failure in treatment, including advice on treatment and marijuana use.
- I had the opportunity to discuss with doctors on these important aspects and inquire about anything that is not understood or not clear from the treating doctor. The doctor gave me information about the treatment plan, including recommendations for medical marijuana use.
- I agree to the use of drugs of category 5 (medical marijuana) in my treatment.
- I agree to disclose patient profile or medical records to the hospital staff or other service units including the staff of the Food and Drug Administration in the operations related to monitoring, evaluating the effectiveness and safety of drug use, and penalty in category 5 for the benefit of the data owner.



I, _____
understand all the information included in this consent form regarding medical marijuana.

_____ (Patient Signature) _____ (Date)



I have already explained all information regarding the use of medical marijuana on this consent form to patients.

_____ (Medical Staff Signature) _____ (Date)

_____ (Witness Signature) _____ (Date)